





^{EN} Drywall system, ^{DE} Gipskarton
systeme, ^{CZ} Suchá výstavba,
^{SK} Suchá výstavba, ^{HR} Gips
sustavi, ^{PL} Systemy płyt
gipsowo-kartonowych,
^{BG} Гипсокартон системи



FM

EN Drywall screw, DE Schrauben für Gipskarton, CZ Vrut do sádrokartonu, SK Skrutka do sadrokartónu, HR Vijak za gipsane ploče, PL Wkręt do płyt gipsowo-kartonowych, BG рапидни винтове за гипсокартон

EN AA+ quality, DE AA+ Qualität, CZ Kvalita AA+, SK Kvalita AA+, HR Kvaliteta AA+, PL Jakość AA+, BG AA+ качество

EN Signing on the head, DE Zeichnen auf dem Kopf, CZ Znakování na hlavě, SK Znakovanie na hlavě, HR Znakovanje na glavi, PL Znakowanie na głowie, BG Жестомимика на главата



EN Drilling speed: 0,36 second, DE Bohrgeschwindigkeit: 0,36 Sekunden, CZ Rychlost zavrtání: 0,36 sekundy, SK Rýchlosť zavrtania: 0,36 sekundy, HR Brzina bušenja: 0,36 sekundi, PL Prędkość wkręcania: 0,36 sekundy, BG Скорост на пробиване: 0,36сек

EN Grey phosphate coating, DE Oberflächenbehandlung mit grauem Phosphat, CZ Povrchová úprava šedým fosfátem, SK Povrchová úprava šedým fosfátom, HR Površinska obrada sivim fosfatom, PL Wkręt fosfatowany w kolorze szarym, BG Сиво фосфатирани



EN C1022 steel for increased strength, DE C1022-Stahl für erhöhte Festigkeit, CZ Ocel C1022 pro zvýšenou pevnost, SK Ocel' C1022 pre zvýšenú pevnosť, HR Čelik C1022 za povećanu čvrstoću, PL Stal o zwiększonej wytrzymałości C1022, BG C1022 стомана за допълнителна якост



EN Sharp tip for fast fixing, DE Scharfe Spitze für schnelle Fixierung, CZ Ostrý hrot pro rychlé fixování, SK Ostrý hrot na rýchle fixovanie, HR Oštar vrh za brzo učvršćivanje, PL Ostra końcówka dla ułatwienia wkręcania, BG Остър връх за бързо закрепване

EN No oil on the surface, prevents staining, DE Kein Öl auf der Oberfläche, verhindert Flecken, CZ Bez oleje na povrchu, zabraňuje vzniku skvrn, SK Bez oleja na povrchu, zabraňuje vzniku škvŕn, HR Nema ulja na površini, sprječava mrlje, PL Brak oleju na powierzchni zapobiega powstawaniu plam, BG Без омасляване и образуване на петна

EN Phosphate bugle head drywall screws for metal,
DE Gipskartonschrauben, geeignet für Blech FM, **CZ** Vrutky do sádrokartonu se závitom do plechu FM, **SK** Skrutky do sadrokartónu so závitom do plechu FM, **HR** Vijak za gipsane ploče fini navoj, **PL** Wkręt fofatowany z gwintem do metalu, **BG** Фосфатирани рапидни винтове за метал

index	ød × L (mm)		
FM-3525	3,5 × 25	1000	18000
FM-3535	3,5 × 35	1000	12000
FM-3545	3,5 × 45	500	6000
FM-3555	3,5 × 55	500	6000
FM-4270	4,2 × 70	250	3000
FM-4280	4,2 × 80	200	2400
FM-4890	4,8 × 90	200	2400
FM-48100	4,8 × 100	200	2400
FM-48110	4,8 × 110	200	2400
FM-48120	4,8 × 120	200	2400

FM-3525  0,36 sec.



EN Drywall screws Hi-Low Thread selftapping, **DE** Schrauben für Glasfaserplatte mit Hi-Low-Gewinde für Holz und Stahl, **CZ** Šrouby do sádrovlák. desek s Hi-Low závitom do plechu a dřeva, **SK** Skrutky pre sklovlák. dosky so závitom Hi-Low do plechu a dreva, **HR** Vijci za ploče do staklenih vlakana s finim navojem, **PL** Wkręty do gipskartonu z niskim/wysokim gwintem, **BG** Винтове за гипсофазер

index	ød × L (mm)		
FL-3919	3,9 × 19	1000	30000
FL-3922	3,9 × 22	1000	30000
FL-3925	3,9 × 25	1000	18000
FL-3930	3,9 × 30	1000	18000
FL-3935	3,9 × 35	1000	12000
FL-3945	3,9 × 45	500	6000
FL-3955	3,9 × 55	500	6000



EN Phosphate bugle head drywall screws for wood, **DE** Gipskartonschrauben, geeignet für Holz FW, **CZ** Vrutky do sádrokartonu se závitom do dřeva FW, **SK** Skrutky do sadrokartónu so závitom do dreva FW, **HR** Vijak za gipsane ploče grubi navoj FW, **PL** Wkręt fosfatowany z gwintem do drewna, **BG** Фосфатирани рапидни винтове за дърво

index	ød × L (mm)		
FW-3525	3,5 × 25	1000	18000
FW-3535	3,5 × 35	1000	12000
FW-3545	3,5 × 45	500	6000
FW-3555	3,5 × 55	500	6000
FW-4270	4,2 × 70	250	3000
FW-4890	4,8 × 90	200	2400
FW-48100	4,8 × 100	200	2400
FW-48110	4,8 × 110	200	2400
FW-48120	4,8 × 120	200	2400



EN Self drilling phosphate bugle head drywall screws for metal, **DE** Gipskartonschrauben SF, **CZ** Vrutky do sdk se závitom do plechu s vrtákem TEX SF, **SK** Skrutky do sdk so závitom do plechu s vrtákem TEX SF, **HR** Vijak za gipsane ploče sa svrdlom fini navoj, **PL** Samowierzące wkręty z łbem walcowym do łączenia profili, **BG** Самопробивни фосфатирани рапидни винтове за метал

index	ød × L (mm)		
SF-3525	3,5 × 25	1000	18000
SF-3535	3,5 × 35	1000	12000
SF-3545	3,5 × 45	500	6000



EN Screw with frame head RS, **DE** Schrauben mit Zylinderkopf RS, **CZ** Vrutky s rámovou hlavou RS, **SK** Skrutky s rámovou hlavou RS, **HR** Vijak za gipsane ploče sa širokom glavom, **PL** Wkręty fosfatowane z łbem podkładkowym z gwintem do drewna, **BG** Фосфатирани винтове с плоска глава

index	ød × L (mm)		
RS-4235	4,5 × 35	500	6000
RS-4245	4,2 × 45	500	6000
RS-4255	4,2 × 55	250	3000



 We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме




NP-N-06Z060



FM-3545



KR01-4042



CD 60

EN Self-cutting screws for profile joining,
DE Verbindungsbohrschraube, CZ Vrutky samořezné pro spojování profilů, SK Skrutky samozávrtné pre spájanie profilov, HR Samonarezni vijak za spajanje profila, PL Samowierzące wkręty z łbem walcowym do łączenia profili, BG Самопробивни винтове за профили

index	ød × L (mm)		
SF-3595-Z	3,5 × 9,5	1000	30000
SF-B-3595-Z*	3,5 × 9,5	35 × 100	21000
SF-3911-Z	3,9 × 11	1000	18000



* packing


EN Bit PH, PZ, Molybden, DE Bit PH, PZ, Molybden, CZ Bit PH, PZ, Molybden, SK Bit PH, PZ, Molybden, HR Bit PH, PZ, Molybden, PL Bit PH, PZ, Molibden, BG На крайници тип PH и PZ

index	mm		
PR 2702-100	PH2 × 25	10	100



EN Collated bugle head drywall screws phosphate finish,
DE Gipskartonschraubenband, CZ Vrutky do sádkartonu na pásu, SK Skrutky do sadrokartónu na páse, HR Vijci za gipsane ploče na traci, PL Wkręty fosfatowane koletowane na taśmie, BG Фосфатирани рапидни винтове на лента

index	ød × L (mm)	
FMC-3525	3,5 × 25	1000
FMC-3535	3,5 × 35	1000
FWC-3525	3,5 × 25	1000
FWC-3535	3,5 × 35	1000
SFC-3535	3,5 × 35	1000
SFC-3545	3,5 × 45	1000



EN Bit PH, PZ, Titan-nitrid, DE Bit PH, PZ, Titan-nitrid, CZ Bit PH, PZ, Titan-nitrid, SK Bit PH, PZ, Titan-nitrid, HR Bit PH, PZ, Titan-nitrid, PL Bit PH, PZ, Titan-nitrid, BG На крайници тип PH и PZ, титан-нитрид

index	mm		
PR 3702	PH2 × 25	10	100



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Далеј одпоручае, Također preporučujemo, Również polecamy, Ние препоръчваме



PP 30



DAH 0600



UW 50



K 199 CD 00

EN Phosphate bugle head drywall screws for metal - MEGAPACK, DE Gipskartonschrauben, geeignet für Blech FM - MEGAPACK, CZ Vrutky do sádrokartonu se závitem do plechu FM - MEGAPACK, SK Skrutky do sadrokartónu so závitom do plechu FM - MEGAPACK, HR Vijak za gipsane ploče fini navoj - MEGAPACK, PL Wkręt fosfatowany z gwintem do metalu - MEGAPACK, BG Фосфатирани рапидни винтове за метал - MEGAPACK

index	ød × L (mm)	
FMM-3525	3,5 × 25	3400 + 100 + 4 bits GRATIS
FMM-3535	3,5 × 35	2300 + 50 + 4 bits GRATIS



EN Phosphate bugle head drywall screws for wood - MEGAPACK, DE Gipskartonschrauben, geeignet für Holz FW - MEGAPACK, CZ Vrutky do sádrokartonu se závitem do dřeva FW - MEGAPACK, SK Skrutky do sadrokartónu so závitom do dreva FW - MEGAPACK, HR Vijak za gipsane ploče grubi navoj - MEGAPACK, PL Wkręt fosfatowany z gwintem do drewna - MEGAPACK, BG Фосфатирани рапидни винтове за дърво - MEGAPACK

index	ød × L (mm)	
FWM-3525	3,5 × 25	3400 + 100 + 4 bits GRATIS
FWM-3535	3,5 × 35	2300 + 50 + 4 bits GRATIS



EN Hammer in fixings with steel nail - MEGAPACK, DE Nageldübel - MEGAPACK, CZ Zatloukáci hmoždinky - MEGAPACK, SK Zatlúkácie hmoždinky - MEGAPACK, HR Udarna tipla - MEGAPACK, PL Kołek do wbijania z gwoździem stalowym - MEGAPACK, BG Дюбел пирон - MEGAPACK

index	mm	mm	
NPM-06Z035 N	6	35	380 + 20 GRATIS
NPM-06Z040 N	6	40	380 + 20 GRATIS



index	mm	mm	
NPM-06C040 N	6	40	380 + 20 GRATIS



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



NP-N-06Z060



FM-3545



KR01-4042



CD 60

NP

^{EN} Hammering dowel, ^{DE} Einschlagdübel, ^{CZ} Zatloukací hmoždinka, ^{SK} Zatĺkacia hmoždinka, ^{HR} Udarna tipla, ^{PL} Kołek wbijany, ^{BG} пирон-дюбел



^{EN} Strengthened part under the head, ^{DE} Verstärkter Teil unter dem Kopf, ^{CZ} Zesílená část pod hlavou. Zosilnené časť pod hlavou, ^{SK} Ojačani dio ispod glave, ^{HR} Wznoćniona część pod główką, ^{BG} Усилена част под яката

^{EN} Improved construction for higher load-bearing capacity, ^{DE} Verbesserte Konstruktion für höhere Tragfähigkeit, ^{CZ} Vylepšená konstrukce pro vyšší únosnost, ^{SK} Vylepšená konštrukcia pre vyššiu únosnosť, ^{HR} Poboljšana konstrukcija za veću nosivost, ^{PL} Ulepszona konstrukcja zapewniający szybki montaż, ^{BG} Подобрен дизайн, за по-голяма носимост



^{EN} Made of quality nylon, ^{DE} Hergestellt aus hochwertigem Nylon, ^{CZ} Vyrobeno z kvalitního nylonu, ^{SK} Vyrobené z kvalitného nylonu, ^{HR} Izrađena od kvalitetnog najlona, ^{PL} Wykonany z wysokiej jakości nylonu, ^{BG} Произведени от първокачествен найлон



^{EN} Easy application, ^{DE} Einfache Anwendung, ^{CZ} Snadná aplikace, ^{SK} Jednoduchá aplikácia, ^{HR} Jednostavna primjena, ^{PL} Łatwa aplikacja, ^{BG} Лесен монтаж

EN Cylinder head hammer in fixings with steel nail,
DE Nageldübel mit Rundkopf "Z", CZ Zatloukací hmoždinka - válcová hlava "Z", SK Zatloukací hmoždinka - válcová hlava "Z", HR Udarana tipla "Z", PL Kołek do wbijania z kołnierzem cylindrycznym z gwoździem stalowym, BG Дюбел пирон с цилиндрична яка

index	mm	mm		
NP-N-05Z025	5	25	200	6000
NP-N-05Z030	5	30	200	6000
NP-N-05Z035	5	35	200	3600
NP-N-05Z050	5	50	200	2400
NP-N-06Z035	6	35	100	1800
NP-N-06Z040	6	40	100	1800
NP-N-06Z050	6	50	100	1200
NP-N-06Z060	6	60	100	1200
NP-N-06Z070	6	70	100	1200
NP-N-06Z080	6	80	100	1200
NP-N-08Z060	8	60	50	900
NP-N-08Z080	8	80	50	900
NP-N-08Z100	8	100	50	600
NP-N-08Z120	8	120	50	600
NP-N-08Z140	8	140	50	600



nylon, najlon,
найлон



EN Mushroom head collar hammer in fixings with steel nail,
DE Nageldübel "C", CZ Zatloukací hmoždinka - hříbová hlava "C", SK Zatloukací hmoždinka - hříbová hlava "C", HR Udarana tipla "C", PL Kołek do wbijania z kołnierzem z gwoździem stalowym, BG Дюбел пирон с широка яка

index	mm	mm		
NP-N-06C040	6	40	100	1800
NP-N-06C060	6	60	100	1200
NP-N-06C080	6	80	100	1200



nylon, najlon,
найлон






EN Countersunk head hammer in fixings with steel nail,
DE Nageldübel mit Senkkopf "F", CZ Zatloukací hmoždinka - zápusťná hlava "F", SK Zatloukací hmoždinka - zápusťná hlava "F", HR Udarana tipla "F", PL Kołek do wbijania bez kołnierza z gwoździem stalowym, BG Дюбел пирон с фрезенкова яка

index	mm	mm		
NP-N-05F025	5	25	200	6000
NP-N-05F030	5	30	200	6000
NP-N-05F035	5	35	200	3600
NP-N-05F050	5	50	200	2400
NP-N-06F035	6	35	100	1800
NP-N-06F040	6	40	100	1800
NP-N-06F050	6	50	100	1200
NP-N-06F060	6	60	100	1200
NP-N-06F070	6	70	100	1200
NP-N-06F080	6	80	100	1200
NP-N-08F060	8	60	50	900
NP-N-08F080	8	80	50	900
NP-N-08F100	8	100	50	600
NP-N-08F120	8	120	50	600
NP-N-08F140	8	140	50	600
NP-N-08F160	8	160	50	600
NP-N-10F080	10	80	25	300
NP-N-10F100	10	100	25	300
NP-N-10F120	10	120	25	300
NP-N-10F140	10	140	25	300
NP-N-10F160	10	160	25	300



nylon, najlon,
найлон



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



KR08-0004



FM-3545



KR01-4042



CD 60


EN Zn-al. alloy hammer in fixings with steel nail, DE Stahl-Nageldübel MHF, CZ Zatloukací ocelové hmoždinky MHF, SK Zatlúkové ocelové hmoždinky MHF, HR Metalna tipla MHF, PL Metalowy kołek do wbijania Zn-Al, BG Метален дюбел пирон Al-Zn

index	 mm	 mm		
MHF-06030	6	30	100	2400
MHF-06040	6	40	100	2400
MHF-06050	6	50	100	1800
MHF-06065	6	65	100	1200



EN Ceiling anchor AC, DE Deckenanker AC, CZ Stropní kotva AC, SK Stropná kotva AC, HR Metalna tipla AC, PL Kołek sufitowy metalowy do wbijania AC, BG Анкер за окачен таван

index	 mm	 mm	
AC-06040	6	40	100
AC-06065	6	65	100



EN Ceiling anchor, DE Deckenanker, CZ Stropní kotva, SK Stropná kotva, HR Metalna tipla, PL Kołek sufitowy do wbijania, BG Анкер за окачен таван

index	ød × L (mm)	
TK-MND-06045	6 × 45	100



FIRE RESISTANCE


EN Pliers for molly, DE Montagezange für MOLLY dübel, CZ Kleště na montáž MOLLY hmoždinek, SK Kliešte na montáž MOLLY hmoždinek, HR Klijeste za MOLLY tipla, PL Osadzak do śrub "Molly", BG Клещи за дюбели тип "MOLLY"

index	
M-SPP2	1



EN Metal cavity fixings - "MOLLY", DE Hohlraumstahldübel MOLLY - M, CZ Kovové hmoždinky pro duté prostory MOLLY - M, SK Kovové hmoždinky pre duté priestory MOLLY - M, HR MOLLY Tipla, PL Śruba typu "MOLLY", BG Дюбели за кухи пространства тип "MOLLY"

index	 mm	 mm	
M-04020	8	4 × 32	3 - 5
M-04032	8	4 × 40	4 - 10
M-04038	8	4 × 45	10 - 15
M-04046	8	4 × 54	15 - 21
M-04052	8	4 × 46	34 - 38
M-05037	11	5 × 46	6 - 12
M-05052	11	5 × 61	6 - 16
M-05065	11	5 × 73	16 - 30
M-06037	13	6 × 46	8 - 12
M-06052	13	6 × 61	8 - 18
M-06065	13	6 × 73	16 - 30



 We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



PP 30



DAH 0600



UW 50



K 199 CD 00


EN Plastic "Driva" type fixings, DE PVC Turbodübel, CZ Plastová turbohmoždinka do sádkartonu, SK Plastová turbo hmoždinka do sadrokartónu, HR PVC puž tipla, PL Plastikowe kołki wkręcane typu "Driva", BG Дюбели за гипсокартон тип "DRIVA"

index	 mm	 mm	
DRI-01	14	35	100



EN Metal "Driva" type fixings, DE Metal Turbodübel, CZ Kovová turbohmoždinka do sádkartonu, SK Kovová turbo hmoždinka do sadrokartónu, HR Metalna puž tipla, PL Metalowe kołki wkręcane typu "Driva", BG Метални дюбели за гипсокартон тип "DRIVA"



index	 mm	 mm	
DRI-02	14	28	100



Mounting instructions, Montageanleitung, Způsob montáže, Spůsob montáže, Upute za ugradnju, Instrukcja montażu, Инструкции за монтаж

EN Plastic cavity fixings 10C, DE Hohlraumdübel 10C, CZ Plast. hmoždinka do dutých prostor 10C, SK Plast. hmoždinka do dutých priestorov 10C, HR PVC tipla šupljine, PL Plastikowe kołki rozprężne do pustych przestrzeni, BG Дюбели за кухи пространства

index	 mm	 mm	 mm	
10C	10	4 × 50	9,5	100



Mounting instructions, Montageanleitung, Způsob montáže, Spůsob montáže, Upute za ugradnju, Instrukcja montażu, Инструкции за монтаж



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Dalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



KR12-010831



GM 25



KR08-0004



CD 60

EN Spring toggles, DE Federklappdübel STO, CZ Sklopné pružinové kotvy STO, SK Sklopné pružinové kotvy STO, HR Kišobran tipla, PL Kotwy rozkładane sufitowe, BG Самофиксиращ се метален дюбел

index	 mm	 mm	
STO-450	14	4 × 50	100
STO-475H	14	4 × 75	50
STO-475E	14	4 × 75	50





STO



STO H



STO E



Mounting instructions, Montageanleitung, Způsob montáže, Spôsob montáže, Upute za ugradnju, Instrukcja montażu, Инструкции за монтаж

EN Revision doors RD, DE Revisionsklappe aus ALU, CZ Revizní dvířka RD, SK Revízne dvierka RD, HR Reviziona vrata, PL Drzwiczki rewizyjne, BG Ревизионни отвори

index	rozmer	
RD 200 × 200	200 × 200	1
RD 300 × 300	300 × 300	1
RD 400 × 400	400 × 400	1
RD 500 × 500	500 × 500	1
RD 600 × 600	600 × 600	1
RD 600 × 800	600 × 800	1

Na dopyt iné rozmery / Other dimensions on demand



EN Grinding grille holder for gypsum board DBM, DE Schleifhalter, CZ Držák brusné mřížky na sádkartón DBM, SK Držiak brúsnej mriežky na sadrokartón DBM, HR Držac brusne mrežice, PL Paca ścierna, BG Маламашка за закрепване на шкурка DBM

index	
DBM	1



EN Grinding grille BM, DE Schleifgitter, CZ Brusná mřížka BM, SK Brúsna mriežka BM, HR Brusna mrežica, PL Siatka ścierna, BG Шкурка

index	l (mm)	
BM 80	93 × 280	50
BM 100	93 × 280	50
BM 120	93 × 280	50



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



PP 30



DAH 0600



UW 50



K 199 CD 00

index		
DRI-B-01	10	25 × 10
DRI-B-02	10	25 × 10
MHF-B-06040	20	25 × 20
MHF-B-06065	10	25 × 10
NP-B-06Z035	10	25 × 10
NP-B-06Z040	10	25 × 10
NP-B-06Z060	10	25 × 10
NP-B-08Z050	10	25 × 10
NP-B-08Z060	10	25 × 10
AC-B-06040	20	25 × 20
FM-B-3525	100	25 × 100
FM-B-3535	100	25 × 100
FM-B-3545	50	25 × 50
FM-B-3555	50	25 × 50
FM-B-4270	25	25 × 25
FW-B-3525	100	25 × 100
FW-B-3535	100	25 × 100
FW-B-3545	50	25 × 50
FW-B-3555	50	25 × 50
FW-B-4270	25	25 × 25
RS-B-4235	50	25 × 50
RS-B-4245	50	25 × 50
RS-B-4255	25	25 × 25
SF-B-3525	50	25 × 50
SF-B-3535	50	25 × 50
SF-B-3545	25	25 × 25
B-W-SF-3595-Z	100	50 × 100
FL-B-3919	100	25 × 100
FL-B-3922	100	25 × 100
FL-B-3925	100	25 × 100
FL-B-3930	100	25 × 100
FL-B-3935	50	25 × 50
FL-B-3945	50	25 × 50
FL-B-3955	50	25 × 50
DAH 0600-B	15	
K01 CD 00-B	15	
K03 K170-B	15	
K03 K270-B	15	
K05 K-B	15	
K199 CD 00-B	15	
OES 250-B	15	
OES 375-B	15	



DRI-B-01

DRI-B-02



AC-B-06040

MHF-B-06040



NP-B-06Z040



RS-B-4235

SF-B-3525

B-W-SF-3595-Z



DAH 0600-B



K199 CD 00-B

K05 K-B



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



KR12-010831



GM 25




KR08-0004




NP-N-06Z060

^{EN} PVC profiles for gypsum board application, ^{DE} PVC Gipskartonprofile, ^{CZ} Profily z PVC na sádrokarton, ^{SK} Profily z PVC na sadrokartón, ^{HR} PVC profili za gips ploču, ^{PL} Profile PVC do ścian G-K, ^{BG} G-КПВЦ профили за гипсокартон

index			
ROH 25×25 PVC KART (L)	2,50 m	50 ks	125 m
Roh PVC na oblúk (L2)	3,00 m	50 ks	150 m
J 9	3,00 m	50 ks	150 m
J 12,5	2,50 m	50 ks	125 m
J 12,5	3,00 m	50 ks	150 m
J 15	3,00 m	50 ks	150 m
U 12,5	3,00 m	50 ks	150 m



J



L2




U



J

^{EN} AL coner profiles for gypsum board application, ^{DE} ALU Eckprofile, ^{CZ} Rohové profily z AL na sádrokarton, ^{SK} Rohové profily z AL na sadrokartón, ^{HR} Aluminijski kutni profili, ^{PL} Profile aluminiowe do suchych tynków, ^{BG} AL ъгли

index	l (mm)		
Roh 23 × 23 - 0,35	2,00	100 ks	200 m
Roh 23 × 23 - 0,35	2,50	100 ks	250 m
Roh 23 × 23 - 0,35	3,00	100 ks	300 m
Roh 25 × 25 - 0,35	2,00	100 ks	200 m
Roh 25 × 25 - 0,35	2,50	100 ks	250 m
Roh 25 × 25 - 0,35	3,00	100 ks	300 m
Roh 28 × 28 SUPER AL	2,50	100 ks	250 m
Roh 32 × 32 ZN	2,50	25 ks	62,5 m
AL polroh 25 × 13	2,50	50 ks	125 m
AL polroh 25 × 13	3,00	50 ks	150 m
Roh 135°	2,50	25 ks	62,5 m
Roh 135°	3,00	25 ks	75 m
Roh na oblúky	2,50	25 ks	62,5 m




Roh 23×23



Rok 25×25




Roh 25×25 SUPER



AL polroh



Roh 135°



Roh na oblúky



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



RD 300 × 300



OES 250



DAH 0600



CD 60

EN Gypsum board construction profiles, DE Trockenbauprofile - Stahl, CZ Konstrukční profily na sádkartón, SK Konštrukčné profily na sadrokartón, HR Konstruktivni profili za suhu gradnju, PL Profile do suchej zabudowy, BG Профили за гипсокартон

index	I			
CD 60	3,00	12 ks	288 ks	864 m
CD 60	4,00	12 ks	288 ks	1152 m



CD

index	I			
UD 30	3,00	16 ks	400 ks	1200 m
UD 30	4,00	16 ks	400 ks	1600 m



UD

index	I			
CW 50	2,75	8 ks	224 ks	616 m
CW 50	3,00	8 ks	224 ks	672 m
CW 50	3,50	8 ks	224 ks	784 m
CW 50	4,00	8 ks	224 ks	896 m
CW 75	2,75	8 ks	224 ks	616 m
CW 75	3,00	8 ks	224 ks	672 m
CW 75	3,50	8 ks	224 ks	784 m
CW 75	4,00	8 ks	224 ks	896 m
CW 100	2,75	8 ks	144 ks	396 m
CW 100	3,00	8 ks	144 ks	432 m
CW 100	3,50	8 ks	144 ks	504 m
CW 100	4,00	8 ks	144 ks	576 m
CW 125	2,75	8 ks	80 ks	220 m
CW 125	3,00	8 ks	80 ks	240 m
CW 125	3,50	8 ks	80 ks	280 m
CW 125	4,00	8 ks	80 ks	320 m




CW

index	I			
UW 50	4,00	8 ks	336 ks	1344 m
UW 75	4,00	12 ks	216 ks	864 m
UW 100	4,00	8 ks	144 ks	576 m
UW 125	4,00	8 ks	80 ks	320 m



UW

index	I (mm)	I (mm)	
UA 50	3,00	4,00	1 ks
UA 75	3,00	4,00	1 ks
UA 100	3,00	4,00	1 ks
UA 125	3,00	4,00	1 ks



UA

Dlhšie profily na dopyt. SDK atypické dĺžky nad 4 m cena s príplatkom 15%, pri dĺžke 8 m a viac príplatek 50%.
Longer profiles on demand. Atypical lengths over 4 m price with extra charge 15%, for length 8 m and more with extra charge 50%.



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



FM-3545



DAH 0600




DTW 45



AC-06040


EN Wire with lug, DE Draht mit Auge,
CZ Drát s očkem, SK Drôt s očkom, HR Žica
s ušicom, PL Drut z oczkiem, BG Шиш
с уху

index	L (mm)	
OES 0125	125	100
OES 0250	250	100
OES 0375	375	100
OES 0500	500	100
OES 0750	750	100
OES 1000	1000	100
OES 1250	1250	100
OES 1500	1500	100
OES 2000	2000	100




EN Wire with lug, DE Draht mit Haken,
CZ Drát s hákem, SK Drôt s hákom, HR Žica
s kukicom, PL Drut z hakiem, BG Шиш
с кука

index	L (mm)	
HAK 0125	125	100
HAK 0250	250	100
HAK 0375	375	100
HAK 0500	500	100
HAK 0750	750	100
HAK 1000	1000	100
HAK 1250	1250	100
HAK 1500	1500	100
HAK 2000	2000	100




EN Direct hinge, DE Direktaufhänger,
CZ Přímý závěs, SK Priamy záves,
HR Direktni nosač, PL Wieszak bezpośred-
ni uniwersalny, BG Директен окачвач

index	L1	L2	
DAH 0500	51	120	100
DAH 0500 1/2	51	70	100
DAH 0600	61	120	100
DAH 0600 1/2	61	70	100
DAH 0600/150	60	150	50
DAH 0600/175	60	175	50
DAH 0600/200	60	200	50
DAH 0600/225	60	225	50
DAH 0600/250	60	250	50
DAH 0600/275	60	275	50
DAH 0600/300	60	300	50




EN Cross joint for CD and GK profiles,
DE Kreuzverbindungsst. für CD und
GK Profil, CZ Křížová spojka pro CD
a GK profil, SK Křížová spojka pre
CD a GK profil, HR Križna spojnica,
PL Łącznik krzyżowy do profili CD i GK,
BG Кръстовидна връзка за две нива

index	
K199 CD 00	100




EN Cross joint for CD profiles,
DE Kreuzverbindungsst. für CD,
CZ Křížová spojka pro CD profil,
SK Křížová spojka pre CD profil,
HR Križna spojnica, PL Łącznik krzyżowy
do porf. CD, BG Кръстовидна връзка за
CD профили

index	
K09 K 000	100



EN Quick hinge for CD and GK
profiles, DE Schnellangel für CD
und GK Profil, CZ Rychlozávěs pro
CD a GK profil, SK Rýchlozáves pre
CD a GK profil, HR Sidro s oprugom,
PL Wieszak płaski ze sprężyną,
BG Анкер окачвач

index	
K05 K 000	100



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Далеј одпоручајемо,
Također preporučujemo, Również polecamy, Ние препоръчваме



NP-N-06Z060



FM-3545




MHF-06050



AC-06040


EN Quick hinge for CD profile,
DE Schnellangel für CD Profil,
CZ Rychlozávěs pro CD profil,
SK Rýchlozáves pre CD profil, HR Sidro
s oprugom, PL Wieszak obrotowy ze
złączem samozaciskowym, BG Анкер
окачвач объл

index	
K05 obluk PL	100




EN Quick hinge for CD profile,
DE Schnellangel für CD Profil,
CZ Rychlozávěs pro CD profil,
SK Rýchlozáves pre CD profil, HR Sidro
s oprugom, PL Wieszak kątiwy ze
złączem samozaciskowym, BG Анкер
окачвач

index	
K05 CD 00	100




EN Anchoring part for CD and GK
profiles, DE Ankerteil für CD und GK
Profil, CZ Kotvící díl pro CD a GK profil,
SK Kotviaci diel pre CD a GK profil,
HR Sidro za CD i GK Profile, PL Wieszak
kotwowy bezpośredni do profili CD
i GK, BG Анкер винкел за дърво

index	
K03 K 000	100




EN Anchoring part for CD and GK
profiles, DE Ankerteil für CD und GK
Profil, CZ Kotvící díl pro CD a GK profil,
SK Kotviaci diel pre CD a GK profil,
HR Sidro za CD i GK Profile, PL Wieszak
kotwowy bezpośredni do profili CD
i GK, BG Анкер винкел за CD и ГК
профили

index	
K02 UN 00	100




EN Joint CD, DE Verbindungsstück CD,
CZ Spojka CD, CZ Spojka CD, HR Dužna
spojnica CD, PL Łącznik wzdlużny CD,
BG Снадка за CD профил

index	
K01 CD 00	100



EN Anchoring part, DE Ankerteil,
CZ Kotvící díl, SK Kotviaci diel, HR Sidro,
PL Wieszak kotwowy bezpośredni,
BG Анкер винкел за дърво

index	
K03 K 170	100
K03 K 200	100
K03 K 250	100
K03 K 270	100
K03 K 300	100



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Далеј
одporučаme, Također preporučujemo, Również polecamy, Ние препоръчваме



FMC-3535



FM-3545




GM 25



CD 60

EN Anchoring part, DE Ankerteil,
CZ Kotvící díl, SK Kotviaci diel, HR Sidro,
PL Wieszak kotwowy bezpośredni,
BG Анкер винкел за дърво

index	L (mm)	
K03 KZK-Z 240	240	100
K03 KZK-Z 320	320	100
K03 KZK-Z 400	400	100
K03 KZK-Z 480	480	100



EN Suspension lathe,
DE Noniusabhänger, CZ Závěsná lišta,
SK Závesná lišta, HR Nonius gornji,
PL Noniusz górny, BG Нониус окачвач


index	L (mm)	
K06 A(B) 260	260	100
K06 A(B) 460	460	100
K06 A(B) 660	660	100
K06 A(B) 860	860	100
K06 A(B) 1060	1060	100
K06 A(B) 1260	1260	100
K06 A(B) 1460	1460	100
K06 A(B) 1660	1660	100
K06 A(B) 1860	1860	100

Other sizes available on request




EN Connecting angle piece for UA profile, DE Verbindungswinkel für UA profil,
CZ Spojovací uhlíček pro UA profil, SK Spojovací uholník pre UA profil, HR Kutnik
UA profila, PL Kątownik do mocowania profili ościeżnicowych UA, BG Пета за
UA профил

index	
ASW 40	100
ASW 65	100
ASW 90	100




EN Suspension lathe, DE Noniusabhänger, CZ Závěsná lišta, SK Závesná lišta, HR Nonius
gornji, PL Noniusz górny, BG Нониус окачвач

index	
K06 OBLUK	100
K06KG 1T	100



K06 OBLUK



K06KG 1T



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame,
Također preporučujemo, Również polecamy, Ние препоръчваме



NP-N-06Z060



FM-3545




MHF-B-06040



AC-06040


EN Direct hinge for CD profile,
DE Direktaufhänger, CZ Přímý závěs
pro CD profil, SK Priamy záves pre CD
profil, HR Direktni nosač za CD profil,
PL Wieszak bezpośredni do profili CD,
BG Директен окачвач за CD профил

index	
DAH 0100	100




EN Levelling joint,
DE Ausgleichverbindungsstück,
CZ Vyrovnávací spojka, SK Vyrovnávacia
spojka, HR Spojnica u nivou, PL Łącznik
poprzeczny wyrównawczy,
BG Едностранна напречна връзка

index	
NVB 0100	100




EN Lock holder,
DE Sicherungshalter,
CZ Zajišťovací držák, SK Zaisťovací
držák, HR Nosač cd profila,
PL Wieszak bezpośredni,
BG Директен окачвач еластичен

index	L (mm)	
JSB 3000	34,5	100
JSB 6500	67	100
JSB 9000	97	100



EN Fissure hinge,
DE Nischenaufhängung, CZ Šterbinový
závěs, SK Štrbinový záves, HR Šidro,
PL Wieszak kotwowy uniwersalny,
BG Окачвач

index	
101.30	100




EN Level joint, DE Verbindungsebene,
CZ Rovinná spojka, SK Rovinná spojka,
HR Križna spojnica u nivou, PL Łącznik
krzyżowy poziomy, BG Кръстовидна
връзка за едно ниво

index	
106.02	24



EN Flexible suspension pin, DE Angel
Federstift, CZ Závěsný pružný kolík,
SK Závěsný pružný kolík, HR Držač
ovjesne žice, PL Wieszak kołkowy,
BG Анкер за окачен таван

index	d (mm)	
TA 91350 A	8,6	250



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame,
Takoder preporučujemo, Również polecamy, Ние препоръчваме



PP 30



FM-3545




M 5 x 52



STO 4 x 75 H


EN Quick hinge, DE Schnellangel,
CZ Rychlozávěs, SK Rýchlozáves, HR "T"
ovjes, PL Wieszak typu termatex ze
złączem samozaciskowym, BG Анкер
окачвач

index	
SAH 1000	100



EN Quick hinge, DE Schnellangel,
CZ Rychlozávěs, SK Rýchlozáves,
HR Ovjes, PL Wieszak typu termatex ze
złączem samozaciskowym, BG Анкер
окачвач

index	
SAH 1500	100



EN Safety clamp,
DE Sicherungsspanne, CZ Pojistná
spona, SK Poistná spona, HR Dupli ovjes,
PL Klamra, BG Съединение за два
шиша

index		
SF 1	0,5 mm	100
SF 1	0,7 mm	100



EN Adhesive insulation holder,
DE Isolationshalter selbstklebend,
CZ Samolepící držák izolace,
SK Samolepiaci držiak izolácie,
HR Samoljepivi držač izolacije,
PL Samoprzylepny uchwyt izolacji
termicznej, BG Окачвач за изолация

index	
915110	100




EN Door frame holder,
DE Türrahmenhalter, CZ Držák zárubní,
SK Držiak zárubní, HR Set kutnika UA
profila, PL Uchwyt ościeżnicowy,
BG Пета за врата

index	
917.6710 UA50	1
917.6720 UA75	1
917.6730 UA100	1



EN Nonius cotter pin, DE Maueranker für
Nonius, CZ Závlačka nonius, SK Závlačka
pre nónius, HR Osigurač za nonius,
PL Klamra do wieszaka noniuszowego,
BG Кламер за нониус окачвач

index	
DPK 607	100



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Ďalej odporúčame,
Također preporučujemo, Również polecamy, Ние препоръчваме



PP 30



FM-3545



M 5 x 52



STO 4 x 75 H

EN Glass fibre strips FLIES GM, DE Glasvliesband GM, CZ Sklovláknité pásky FLIES GM, SK Sklovláknité pásky FLIES GM, HR Staklena bandažna traka, PL Taśma spoinowa FLIES GM, BG Стъклофазерна лента GM

index		
GM 25*	25 m × 50 mm	48

* Vertex



EN Protective corner metal tape ZT, DE Metall - Kantenschutzband ZT, CZ Páska ochranná rohová kovová ZT, SK Páska ochranná rohová kovová ZT, HR Traka za zaštitu kuteva metalna, PL Taśma ochronna narożna, BG Метална лента за ъгли ZT

index		
ZT	5 cm × 30 m	10 ks / kartón



EN Corner dilation tape PVC P3750, DE Eckdehnungsband PVC P3750, CZ Páska dilatační rohová PVC P3750, SK Páska dilatačná rohová PVC P3750, HR Diletacijska traka za kuteve, PL Taśma spoinowa PVC P3750, BG Ёглова дилатационна лента PVC

index		
P-3750 75 m	25 mm × 25 mm	75 m
P-3750 25 m	25 mm × 25 mm	25 m



EN Adhesive glass fibre tapes DWT, DE Fugenstreifen selbstklebend DWT, CZ Sklotextilní samolepící pásky DWT, CZ Sklotextilné samolepiace pásky DWT, HR Ljepiva mrežica za spojeve, PL Samoprzylepna taśma antytrysowa z siatki z włókna szklanego, BG Стъклофибърна лента DWT

index		
DWT-20*	20 m × 45 mm	60
DWT-45*	45 m × 45 mm	54
DWT-90*	90 m × 45 mm	24

* Vertex



DW 20



DW 45

EN Adhesive foam tapes PP, DE Selbstklebendes Schaumband / Sockelprofil PP, CZ Pěnové samolepící pásky PP, SK Penové samolepiace pásky PP, HR Spužvasta ljepiva traka, PL Samoprzylepna taśma piankowa akustyczna PP, BG Изолационна лента за профили

index	(mm × mm × m)	
PP 30	30 × 3 × 30	30
PP 50	50 × 3 × 30	18
PP 70	70 × 3 × 30	12
PP 95	95 × 3 × 30	10



We also recommend, Weitere Empfehlungen, Dále doporučujeme, Dalej odporúčame, Također preporučujemo, Również polecamy, Ние препоръчваме



NP-N-06Z060



FM-3545



MHF-B-06040



AC-06040